#	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	3	driver with circuit$2 with current with measurement$1 and integrated with circuit and impedance with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:26		
2	IS&R	2	("5121075").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:25		
3	IS&R	2	("3573644").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:25		
4	BRS	94	current with measurement$1 and integrated with circuit and impedance with voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:32		
5	BRS	13	current with suppl$3 with measurement$1 and integrated with circuit and impedance with voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:46		
6	BRS	1	"4739252".PN.	USPAT	2003/06/20 17:38		
7	BRS	1	"4109213".PN.	USPAT	2003/06/20 17:39		
8	BRS	1	"3648175".PN.	USPAT	2003/06/20 17:39		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
9 BRS	247	current with suppl$3 with convert$3 and impedance with voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:42		
10 BRS	11	current with suppl$3 with convert$3 and impedance with compar$5 with voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:44		
11 BRS	11	current with suppl$3 with convert$3 and compar$5 with voltage with drop$1 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:45		
12 BRS	100	driver with circuit$2 with current with measurement$1 and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:47		
13 BRS	23	driver with circuit$2 with current with measurement$1 and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:48		
14 BRS	1	driver$1 with circuit$2 with current with precision with measurement$1 and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:50		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
15 BRS	38	circuit$2 with current with precision with measurement$1 and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:50		
16 BRS	7	circuit$2 with current with precision with measurement$1 and voltage with drop$1 and a/d with convert$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:13		
17 BRS	5382	driver adj1 circuitry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:14		
18 BRS	0	driver adj1 circuitry with current with measurement$1 with precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:15		
19 BRS	2	driver adj1 circuitry with current with measurement$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:17		
20 BRS	606	driver adj1 circuitry with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:17		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
21 BRS	27	driver adj1 circuitry with voltage with measurement$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:18		
22 BRS	7496	voltage with drop with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:31		
23 BRS	126	precise$3 with suppl$3 and voltage with drop with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:33		
24 BRS	40	precise$3 with current with suppl$3 and voltage with drop with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:34		
25 BRS	23	precise$3 with current with suppl$3 and voltage with drop with reference with voltage and integrated with circuit$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:24		
26 BRS	2	precise$3 with current with suppl$3 and voltage with drop with reference with voltage and integrated with circuit$1 and convert$3 with analog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:38		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
27 BRS	15	precise$3 with current with suppl$3 and voltage with drop with reference with voltage and integrated with circuit$1 and convert$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:09		
28 BRS	8	4893030.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:09		
29 BRS	1	4893030.uref. and precis$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:10		
30 BRS	3	(accurate or precise$3) with suppl$3 with current and voltage with drop with reference with voltage and terminat$3 with (imped$4 or resist$4) and integrated with circuit$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:27		
31 BRS	2	precise$3 with current with suppl$3 and voltage with drop with reference with voltage and terminat$3 with (imped$4 or resist$4) and integrated with circuit$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:30		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
32 BRS	16	precise$3 with current and voltage with drop with reference with voltage and terminat$3 with (imped$4 or resist$4) and integrated with circuit$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:29		
33 BRS	21	(accurate or precise$3) with current and voltage with drop with reference with voltage and terminat$3 with (imped$4 or resist$4) and integrated with circuit$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 14:35		
34 BRS	8	4893030.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 14:18		
35 BRS	9	(accurate or precise$3) with current and voltage with drop and reference with voltage with terminat$3 with (imped$4 or resist$4) and integrated with circuit$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 14:37		
36 BRS	17	5495184.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:03		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
37 BRS	2	current with measurement$1 and (accurate or precis$3) with external with resistor$1 with reference with voltage and (driver or integrated) with circuit$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:34		
38 BRS	0	5418488.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:18		
39 BRS	1	"5180927".PN.	USPAT	2003/06/21 15:18		
40 BRS	1	"4940930".PN.	USPAT	2003/06/21 15:18		
41 BRS	1	"4894562".PN.	USPAT	2003/06/21 15:18		
42 BRS	1	"4082998".PN.	USPAT	2003/06/21 15:18		
43 BRS	47	current with measurement$1 and (accurate or precis$3) with resistor$1 with reference with voltage and (driver or integrated) with circuit$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:20		
44 BRS	3	current with measur$5 and (accurate or precis$3) with external with resistor$1 with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:52		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
45 BRS	0	current with measur$5 and (accurate or precis$3) with modulat$3 with resistor$1 and external with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:54		
46 BRS	8	current with measur$5 and (accurate or precis$3) with modulat$3 with resistor$1 and reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:04		
47 BRS	766	(measur$3 or determin$5) with current and voltage with drop$1 with (impedan$3 or resistor$1) with (reference adj1 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:07		
48 BRS	43	(measur$3 or determin$5) with current with (IC$1 or (integrated adj1 circuit$2)) and voltage with drop$1 with (impedan$3 or resistor$1) with (reference adj1 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:23		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
49 BRS	2	(measur$3 or determin$5) with current with (precide or accur$3) with (IC$1 or circuit$2)) and voltage with drop$1 with (impedan$3 or resistor$1) with (reference adj1 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:23		
50 BRS	16	current with (precis$3 or accur$3) with (IC$1 or (integrated adj1 circuit$2)) and voltage with drop$1 with (impedan$3 or resistor$1) with (reference adj1 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:25		
51 BRS	35	(accurat$3 or precise$3) with current and voltage with drop$1 with reference with voltage and terminat$3 with (imped$4 or resist$4) and (ic$1 or (integrated with circuit$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:41		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
52	BRS	22	(accurat$3 or precise$3) with current and voltage with drop$1 with reference with voltage and terminat$3 with (imped$4 or resist$4) and (ic$1 or circuit$1)) and ratio and different$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:32		
53	BRS	46	(determin$5 or measur$3) with current and voltage with drop$1 with reference with voltage and precis$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:19		
54	BRS	0	(determin$5 or measur$3) with current with voltage with drop$1 with reference with voltage with precis$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:17		
55	BRS	7	(determin$5 or measur$3) with current with voltage with drop$1 with reference with voltage and precis$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:17		
56	BRS	255	(determin$5 or measur$3) with current and voltage with drop$1 and reference with voltage with precis$3 or (resist$4 or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:21		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
57	BRS	11	(determin$5 or measur$3) with current and voltage with drop$1 and reference with voltage with terminat$3 with precis$3 with (resist$4 or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:58		
58	BRS	5	(precis$3 or accura$2) with (determin$5 or measur$3) with current and voltage with drop$1 and reference with voltage with ((terminat$3 adj impedance) or (external$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:04		
59	BRS	3	(determin$5 or measur$3) with current and voltage with drop$1 and (precis$3 or accurate) with reference with voltage with ((terminat$3 adj impedance) or (external$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:05		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition on
60	BRS	2	(determin$5 or measur$3) with current with (ic$1 or (integrated adj circuit$2)) and voltage with drop$1 and (precis$3 or accurate) with reference with voltage with ((terminat$3 adj impedance) or (external$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:08		
61	BRS	3	(determin$5 or measur$3) with current and (ic$1 or (integrated adj circuit$2)) and voltage with drop$1 and (precis$3 or accurate) with reference with voltage with ((terminat$3 adj impedance) or (external$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:09		
62	BRS	1	(ic$1 or (integrated adj circuit$2)) and voltage with drop$1 with (precis$3 or accurate) with reference with voltage with ((terminat$3 adj impedance) or (external$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:11		
63	BRS	1	"5180927".PN.	USPAT	2003/06/22 12:10		
64	BRS	1	"4940930".PN.	USPAT	2003/06/22 12:11		

	Type	Hits	Search Text	DBs	Tim Stamp	Comments	Error Definition
65	BRS	1	(ic$1 or (integrated adj circuit$2)) and voltage with drop$1 with (precis$3 or accurate) with (predetermined or reference) with voltage with ((terminat$3 adj impedance) or (external$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:12		
66	BRS	1	voltage with drop$1 with (precis$3 or accurate) with (predetermined or reference) with voltage with ((terminat$3 adj impedance) or (external$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:12		
67	BRS	3	voltage with drop$1 with (precis$3 or accurate) with (predetermined or reference) with voltage with ((terminat$3 with impedance) or (external$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:13		
68	BRS	267	voltage with drop$1 and (precis$3 or accurate) with (predetermined or reference) with voltage and ((terminat$3 with impedance) or (external$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:15		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
69 BRS	202	(ic$1 or (integrated adj circuit$2)) and voltage with drop$1 and (precis$3 or accurate) with (predetermined or reference) with voltage and ((terminat$3 with impedance) or (external$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:15		
70 BRS	17	(ic$1 or (integrated adj circuit$2)) and voltage with drop$1 and (precis$3 or accurate) with (predetermined or reference) with voltage with ((terminat$3 with impedance) or (external$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:22		
71 BRS	3	5705953.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:27		
72 IS&R	2	("5705953").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:27		
73 BRS	1	"5329249".PN.	USPAT	2003/06/22 12:44		

Typ	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
74 BRS	625	(ic$1 or (integrated adj circuit$2)) and (predetermined or reference) with voltage with ((terminat$3 with impedance) or (external$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:53		
75 BRS	10	(ic$1 or (integrated adj circuit$2)) and (predetermined or reference) with voltage with (accurat$3 or precise$3) with ((terminat$3 with impedance) or (external$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:53		
76 BRS	3	(ic$1 or (integrated adj circuit$2)) and voltage with drop$1 with (precis$3 or accurate) with (predetermined or reference) with voltage with ((terminat$3 with impedance) or (external$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:22		
77 BRS	1513	(ratio or divid$3) with first with second with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:34		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
78 BRS	12	(ratio or divid$3) adj first adj second adj impedance and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:41		
79 BRS	75	(ratio or divid$3) adj first adj second adj (resist$4 or impedance) and voltage with drop$1 not ((ratio or divid$3) adj first adj second adj impedance and voltage with drop$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:09		
80 IS&R	1	("6522083").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:55		
81 IS&R	2	("6129256").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:55		
82 BRS	0	modulation adj impedance with termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:42		

Type	Hits	Search Txt	DBs	Time Stamp	Comments	Error Definition
83 BRS	0	modulat$3 adj (resist$4 or impedance) with termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:43		
84 BRS	1	modulat$3 adj (resist$4 or impedance) and termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:45		
85 BRS	874	modulat$3 adj (resist$4 or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:45		
86 BRS	18	modulat$3 adj (resist$4 or impedance) and (external or termination) adj (resist$4 or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:46		
87 BRS	12	modulat$3 adj (resist$4 or impedance) and (external or termination) adj (resist$4 or impedance) and reference with (current or voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:47		
88 BRS	8150	compar$4 with first with (impedance or resist$4) with second with (impedance or resist$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:11		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
89 BRS	1433	compar$4 with first with (impedance or resist$4) with second with (impedance or resist$4) and ((integrated adj circuit$2) or ic$1) and reference adj (voltage or current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:14		
90 BRS	234	compar$4 with first with (impedance or resist$4) with second with (impedance or resist$4) and ((integrated adj circuit$2) or ic$1) with reference adj (voltage or current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:15		
91 BRS	116	compar$4 with first with (impedance or resist$4) with second with (impedance or resist$4) and ((integrated adj circuit$2) or ic$1) with reference adj (voltage or current) and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:06		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
92 BRS	213	(different$$5 or compar$4) with first with (impedance or resist$4) with second with (impedance or resist$4) and ((integrated adj circuit$2) or ic$1) with reference adj (voltage or current) and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 08:52		Truncation overflow
93 BRS	214	(different$5 or compar$4) with first with (impedance or resist$4) with second with (impedance or resist$4) and ((integrated adj circuit$2) or ic$1) with reference adj (voltage or current) and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 08:54		
94 BRS	41	(different$5 or compar$4) with first with (impedance or resist$4) with second with (impedance or resist$4) with reference adj (voltage or current) with voltage with drop$1 and ((integrated adj circuit$2) or ic$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:08		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
95 BRS	47	modulation with resistor with load and current with (difference or different or differential or differentiate or differentiated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:19		
96 BRS	3	termination with impedance with reference with voltage with drop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:20		
97 BRS	530	terminat$3 with (resist$4 or impedance) with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:41		
98 BRS	22	terminat$3 with (resist$4 or impedance) with reference with voltage with drop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:22		
99 BRS	1	"6157206".PN.	USPAT	2003/06/23 09:35		
100 BRS	1	"6026456".PN.	USPAT	2003/06/23 09:37		
101 BRS	1	"5523703".PN.	USPAT	2003/06/23 09:37		
102 BRS	1	"4370526".PN.	USPAT	2003/06/23 09:37		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
103 BRS	23	terminat$3 with (resist$4 or impedance) with reference with voltage with (precis$3 or accura$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:42		
104 BRS	2509	702/57,64,69,81,84,189,190 ,191,193,for.103,for.104,f or.105,for.106,for.155,for .160.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:23		
105 BRS	2439	330/267,268,288,290,296.cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:44		
106 BRS	1793	327/538,540,547.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:35		
107 BRS	2183	323/312,313,314,315,317.cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:36		
108 BRS	88	363/73.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:38		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
109	BRS	651	307/15,16,18-22.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:38		
110	IS&R	2	("6518833").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:44		
111	BRS	194	(ratio or differen$6) with first with (impedance or resist$4) with second with (impedance or resist$4) and ((integrated adj circuit$2) or ic$1) with reference adj (voltage or current) and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:19		
112	BRS	1	(ratio or differen$6) adj first adj (impedance or resist$4) adj second adj (impedance or resist$4) and ((integrated adj circuit$2) or ic$1) with reference adj (voltage or current) and voltage with drop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:45		

Type	Hits	Search Text	DBs	Tim Stamp	Comments	Error Definiti on
113 BRS	0	(ratio or differen$6) adj first adj (impedance or resist$4) adj second adj (impedance or resist$4) and precis$3 with terminat$3 with (resist$4 or imped$4) with (reference adj (voltage or current))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:58		
114 BRS	0	radio adj modulat$3 adj (resist$4 or imped$4) adj sensing adj (resist$4 or imped$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:58		
115 BRS	0	radio adj modulat$3 adj (resist$4 or imped$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:58		
116 BRS	0	ratio adj modulat$3 adj (resist$4 or imped$4) adj sensing adj (resist$4 or imped$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:58		
117 BRS	2	(ratio or differen$6) with first with (impedance or resist$4) with second with (impedance or resist$4) and measur$4 with current and (precis$3 or accurate) with integrated with circuit$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:23		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
118 BRS	59	(ratio or differen$6) with first with (impedance or resist$4) with second with (impedance or resist$4) and measur$4 with current with integrated with circuit$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:27		
119 BRS	37	(ratio or differen$6) with first with (impedance or resist$4) with second with (impedance or resist$4) and measur$4 with current with integrated with circuit$2 and reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:45		
120 BRS	2357	(ratio or differen$6) with first with (impedance or resist$4) with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:52		
121 BRS	1	(divid$3 or ratio or differen$6) with first with (impedance or resist$4) with second with (impedance or resist$4) with reference with voltage with measur$3 with current and (precis$3 or accura$2) with current and ((integrated adj circuit$2) or ic$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:07		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
122 BRS	87	(divid$3 or ratio or differen$6) with first with (impedance or resist$4) with second with (impedance or resist$4) with reference with voltage with measur$3 with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:01		
123 BRS	7	(divid$3 or ratio or differen$6) with (impedance or resist$4) with reference with voltage with measur$3 with (precis$3 or accura$2) with current and ((integrated adj circuit$2) or ic$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:15		
124 BRS	0	(divid$3 or ratio or differen$6) adj(impedance or resist$4) adj reference adj voltage and measur$3 with (precis$3 or accura$2) with current and IBM_TDB ((integrated adj circuit$2) or ic$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:21		
125 BRS	0	(divid$3 or ratio or differen$6) adj (impedance or resist$4) adj reference adj voltage and measur$3 with (precis$3 or accura$2) with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:20		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
126 BRS	27	(divid$3 or ratio or differen$6) adj (impedance or resist$4) adj reference adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:42		
127 BRS	6	(determin$3 or measur$4) with current with ((integrated adj1 circuit$2) or ic$1) and modulat$3 adj (imped$4 or resist$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:49		
128 IS&R	2	("5451903").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:23		
129 BRS	0	precis$3 with (resist$4 or imped$4) with sink$3 with trim$3 with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:26		
130 BRS	6	precis$3 with (resist$4 or imped$4) with sink$3 with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:33		
131 BRS	126	terminat$3 with (imped$4 or resist$4) with precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:39		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
132 BRS	1	terminat$3 with (imped$4 or resist$4) with precision with sink$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:37		
133 IS&R	2	("5687330").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:37		
134 BRS	0	terminat$3 adj (imped$4 or resist$4) adj precision adj resist$4 and sink$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:50		
135 BRS	22	terminat$3 with (imped$4 or resist$4) with precision and sink$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:41		
136 BRS	0	terminat$3 adj (imped$4 or resist$4) adj precision adj resist$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:51		
137 BRS	0	terminat$3 adj (imped$4 or resist$4) adj precision (imped$4 or resist$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:51		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
138 BRS	0	terminat$3 adj (imped$4 or resist$4) adj precis$3 adj (imped$4 or resist$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:52		
139 BRS	409	terminat$3 with (imped$4 or resist$4) with (accura$2 or precis$3) with (imped$4 or resist$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:53		
140 BRS	164	terminat$3 adj (imped$4 or resist$4) with (accura$2 or precis$3) with (imped$4 or resist$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:53		
141 BRS	18	terminat$3 adj (imped$4 or resist$4) with (accura$2 or precis$3) adj (imped$4 or resist$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:01		
142 BRS	1	precision adj termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:03		
143 BRS	0	precis$3 adj terminat$3 adj (imped$4 or resist$4) with reference adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:10		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
144	BRS	22	precis$3 with terminat$3 with (imped$4 or resist$4) with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:54		
145	IS&R	2	("5818292").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:38		
146	IS&R	2	("5451903").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:39		
147	BRS	1	internal with precis$3 with terminat$3 with (imped$4 or resist$4) with reference.with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:59		
148	BRS	22	(A/D or (analog adj digital)) with trim$4 with voltage with reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 17:00		